

INVISISIL™ OP1221 UV-curable Silicone Gel

Product Description

INVISISIL™ OP1221 is a one-component silicone gel and an excellent candidate for optical bonding applications. This product is cured by UV exposure to become a soft, tacky gel in a matter of seconds. The supple quality and cushioning impact of this product can enable exceptional protection for electronic assemblies against mechanical impact and vibration.

Key Features and Typical Benefits

- Convenient one component formulation
- Relatively longer storage period; Shelf life of 9 months
- UV curable
- Soft, tacky, and sticky gel
- Excellent candidate for larger size displays
- Easier processing can lead to potential equipment cost savings
- Can absorb shock and protect delicate mechanical components from vibration
- Excellent resistance to corrosion

Typical Physical Properties

	Unit	OP1221
Uncured Properties at 23°C		
Appearance		Transparent
Viscosity at 23°C	Pas	7.5
Specific Gravity	g/cm ³	0.98
Refractive Index		1.41
Transmittance at 400nm	%	99
Cured properties (UV LED 1000mJ/cm² + 0.5hr at 60°C)		
Penetration	[1/4 cone] – x10	35
Lap Shear Strength at 0.3mm (Glass to Glass) *1	MPa	0.3
Lap Shear Strength at 0.3mm (Glass to PC) *1	MPa	0.3
Elongation	%	35
Dielectric Constant at 60Hz		2.8
Volume Expansion	ppm	330
Thermal Conductivity	W/mK	0.17
Haze		<0.1
Yellowness Index (D1925)		<0.3
b*		<0.1
Shelf life at 23°C	months	9

*1 Curing condition: UV LED 1000mJ/cm² + 3 days at 23°C

Typical properties are average data and are not to be used as or to develop product specifications.

General Considerations for Use

- Materials such as water, sulfur, nitrogen compounds, organic metallic salts, phosphorus compounds, etc. contained in the surface of the substrate can inhibit curing.
- A sample patch should always be tested in order to determine compatibility.
- All parts should be as clean and dry as possible prior to application.
- Eye protection and protective gloves should always be worn when working with this product.
- Always maintain adequate ventilation in the workplace.
- Keep out of the reach of children.

Available Packages

- 18Kg Steel Pail
- 9Kg Plastic Bottle

Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute the permission, inducement, or recommendation to practice any invention covered by any patent without authority from the owner of the patent.

Product Safety, Handling, and Storage

Store in a cool dry place out of direct sunlight, and below 23°C. Shelf life at room temperature (23°C) is 9 months.

Customers should review the latest Safety Data Sheet (SDS) and label for product safety information, safe handling instructions, personal protective equipment, if necessary, emergency service contact information, and any special storage conditions required for safety. Momentive Performance Materials (MPM) maintains an around-the-clock emergency service for its products. SDS are available at www.momentive.com or, upon request, from any MPM representative. For product storage and handling procedures to maintain the product quality within our stated specifications, please review Certificates of Analysis, which are available in the Order Center. Use of other materials in conjunction with MPM products (for example, primers) may require additional precautions. Please review and follow the safety information provided by the manufacturer of such other materials.

Limitations

Customers must evaluate Momentive Performance Materials products and make their own determination as to fitness of use in their particular application(s).

Contact Information

Email

commercial.services@momentive.com

Telephone

Americas	Latin America	EMEAI- Europe, Middle East, Africa & India	ASIA PACIFIC
+1 800 295 2392	Brazil	Europe	China
Toll free*	+55 11 4534 9650	+390510924300	800 820 0202
+704 805 6946	Direct Number	Direct number	Toll free
Direct Number			+86 21 3860 4892
			Direct number
*All American countries	Mexico	India, Middle East & Africa	Japan
	+52 55 2169 7670	+ 91 44 71212207	+81 3 5544 3111

Direct Number

Direct number*

Direct number

*All Middle Eastern countries, Africa, India, Pakistan, Bangladesh, Sri Lanka.

Korea
+82 2 6201 4600
Direct number

South East Asia, Australia & New Zealand
+60 3 9206 1543
Direct number*

*South East Asia countries (Malaysia, Singapore, Thailand, Indonesia, Vietnam, Philippines, Cambodia, Myanmar / other countries located in Pacific region).

For literature and technical assistance, visit our website at: www.momentive.com

DISCLAIMER:

THE MATERIALS, PRODUCTS, AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS, INC. AND ITS SUBSIDIARIES AND AFFILIATES (COLLECTIVELY "SUPPLIER") ARE SOLD SUBJECT TO SUPPLIER'S STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIER MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING ITS PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS, OR ADVICE. EXCEPT AS PROVIDED IN SUPPLIER'S STANDARD CONDITIONS OF SALE, SUPPLIER AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, OR SERVICES DESCRIBED HEREIN. Each user bears full responsibility for making its own determination as to the suitability of Supplier's materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Supplier's products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Supplier's standard Conditions of Sale or this Disclaimer unless any such modification is specifically agreed to in a writing signed by Supplier. No statement contained herein concerning a possible or suggested use of any material, product, service, or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Supplier covering such use or design or as a recommendation for the use of such material, product, service, or design in the infringement of any patent or other intellectual property right.

The use of the "™" symbol designates registered or unregistered trademarks of Momentive Performance Materials, Inc. or its affiliated companies. Momentive and the Momentive logo are trademarks of Momentive Performance Materials, Inc.



260 Hudson River Road Waterford,
NY 12188 USA
momentive.com